

SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS

SEW-ON

1012/1028

SETTINGS - 4 CLAWS



PP 17	K 1/1	B		
PP 23 / SS 11	K 1/2	B		
PP 27 / SS 13	K 1/4	B+L	AK 1/4 / L	4 holes - 1 hole each side
PP 29 / SS 14/15	K 1/6	B+L	AK 1/6 / L	4 holes - 1 hole each side
PP 32/33 / SS 17	K 1/7	B+L	AK 1/7 / L	4 holes - 1 hole each side
SS 18/19	K 1/9	B+L	AK 1/9 / L	4 holes - 1 hole each side
SS 21	K 1/21	B		
SS 22	K 1/22	B+L	AK 1/22 / L	4 holes - 1 hole each side
SS 24/25	K 1/11	B+L	AK 1/11 / L	4 holes - 1 hole each side
SS 29/30 / 6 mm	K 1/13	B+L	AK 1/13 / L	4 holes - 1 hole each side
SS 29			AK 1/51 / L	4 holes - 2 holes each side
SS 31	K 1/53	B+L	AK 1/53 / L	4 holes - 1 hole each side
SS 34 / 7 mm	K 1/14	B+L	AK 1/14 / L	4 holes - 2 holes each side
SS 39	K 1/15	B+L	AK 1/15 / L	4 holes - 2 holes each side
SS 45 / 10 mm	K 1/16	B+L	AK 1/16 / L	4 holes - 2 holes each side
SS 47 and SS 48	K 1/17	B+L	AK 1/17 / L	4 holes - 2 holes each side

length of claws ca. 2,7mm

SS47/48	K 1/70	B		length of claws ca. 3,2mm
SS 50	K 1/18	B+L	AK 1/18 / L	4 holes - 2 holes each side
SS 59	K 1/20	B+L	AK 1/20 / L	4 holes - 2 holes each side

1012/1028

SEW-ON settings for rubber straps and other



SS 39	B+L	AK 1/15/2 mm	4 holes - 2 holes each side
SS 50	B+L	AK 1/18/2 mm	4 holes - 2 holes each side
SS 59	B+L	AK 1/20/2 mm	4 holes - 2 holes each side

1012/1028

SETTINGS - 6 CLAWS



SS 29/30 / 6 mm	K 25/1	B+L		
SS 34 / 7 mm	K 25/2	B+L	AK 25/2 / L	4 holes - 2 holes each side
SS 39	K 25/3	B+L	AK 25/3 / L	4 holes - 2 holes each side

1012/1028

SETTINGS

FRENCH



SS 12	K 40/1	B+L		
SS 13 max. SS 15	K 40/2	B+L		
SS 18 max. SS 20	K 40/3	B+L		
SS 23 max. SS 25	K 40/4	B+L		
SS 28 max. SS 30	K 40/5	B+L	AK 40/5 / L	4 holes - 1 hole each side
SS 33 max. SS 35	K 40/6	B+L		
SS 38 max. SS 40	K 40/8	B+L		
SS 43 max. SS 45	K 40/9	B+L	AK 40/9 / L	4 holes - 2 holes each side
SS 46 max. SS 48	K 40/10	B+L	AK 40/10 L	4 holes - 2 holes each side
SS 57 max. SS 60	K 40/12	B+L	AK 40/12 / L	4 holes - 2 holes each side
ca. 16 mm	K 40/13	B+L		
ca. 18 mm	K 40/14	B+L		

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS

SEW-ON

1012/1028

SETTINGS - 4 CLAWS

with ring



SS 20	K 70/1	B	with 1 ring
SS 30	K 70/2	B	with 1 ring
SS 29/30 / 6 mm	K 70/107	B+L	with 1 ring
SS 29/30 / 6 mm	K 70/108	B+L	with 2 rings
SS 39	K 70/111	B+L	with 1 ring
SS 39	K 70/112	B+L	with 2 rings

1012/1028

SETTINGS WITH FLOWER STAMPINGS

settings linked through the middle for sew-on



SS 14/15	BL 01120/302
	BL 0465/302
SS 18/19	BL 01270/301
	BL 01121/301
	BL 0464/301
	BL 01890/301
	BL 01197/301



SS 24/25	BL 0489/303
	BL 01196/303
	BL 01122/303
	BL 01891/303
	BL 01232/303
	BL 01267/303

FLOWER IS BACK



SS 29/30	BL 0489/300
	BL 01196/300
	BL 01891/300
	BL 01232/300
	BL 01267/300



1012/1028

STAMPINGS - FRAMES FOR GLUING



SS 29	P 07937	without ring
SS 29	P 07938	with 1 ring
SS 29	P 07939	with 2 rings
SS 39	P 07490/SS39	without ring
SS 39	P 07858/SS39	with 1 ring
SS 39	P 07859/SS39	with 2 rings
SS 47	P 07490/SS47	without ring
SS 60	P 07490/SS60	without ring
SS 60	P 8008	with 1 ring
SS 60	P 08009	with 2 rings

1012/1028

STAMPINGS FOR GLUING



SS18/19	P 07031	without ring
SS18/19	P 07032	with 1 ring
SS24/25	P 07033	without ring
SS24/25	P 07034	with 1 ring
SS29	P 07035	without ring
SS29	P 07036	with 1 ring
SS47	P 07464	without ring
SS47	P 07465	with 1 ring

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS

SEW-ON

K /

AK /

1012/1028

CUP-CHAINS - 4 CLAWS

minimum



SS 18/19	KS 301/1/140	<u>10 m</u>	Standard	approx. 140 settings p. m.
SS 24/25	KS 303/136 /1+/3	<u>10 m</u>	Standard	approx. 136 settings p. m.
SS 29/30 / 6mm	KS 300/117 /1+/3	<u>10 m</u>	Standard	approx. 117 settings p. m.
SS 29/30 / 6mm	KS 300/78 /1+/3		min. 25 meter	approx. 78 settings p. m.
SS 29/30 / 6mm	KS 300/69 /1+/3		min. 25 meter	approx. 69 settings p. m.
SS 29/30 / 6mm	KS 300/60 /1+/3		min. 25 meter	approx. 60 settings p. m.
SS 29/30 / 6mm	KS 300/48 /1+/3		min. 25 meter	approx. 48 settings p. m.
SS 29/30 / 6mm	KS 300/44 /1+/3		min. 25 meter	approx. 40 settings p. m.
SS 34	KS 330/117 /1+/3	<u>10 m</u>	Standard	approx. 117 settings p. m.
SS 39	KS 331/102 /1+/3	<u>10 m</u>	Standard	approx. 102 settings p. m.
SS 45 / 10mm	KS 332/84 /1+/3	<u>10 m</u>	Standard	approx. 84 settings p. m.
SS 47 and SS 48	KS 339/75 /1+/3	<u>10 m</u>	Standard	approx. 75 settings p. m.
				length of claws ca. 2,7mm
SS 47/48	KS 1017/75 /1+/3	<u>10 m</u>	Standard	approx. 75 settings p. m.
				length of claws ca. 3,2mm
SS 50	KS 333/74 /1+/3	<u>10 m</u>	Standard	approx. 74 settings p. m.
SS 59	KS 794/66 /1+/3	<u>10 m</u>	Standard	approx. 66 settings p. m.

1012/1028

CUP-CHAINS - 6 CLAWS

minimum



SS29/30 / 6 mm	KS 386/115 /1+/3	<u>10 m</u>	Standard	approx. 115 settings p. m.
----------------	------------------	-------------	----------	----------------------------

1012/1028

CUP-CHAINS - FRENCH

minimum



SS 28 max. SS 30	KS 606/115 /1+/3	<u>10 m</u>	Standard	approx. 115 settings p. m.
------------------	------------------	-------------	----------	----------------------------

1012/1028

SETTINGS WITH 1 MOVABLE RIVETED LOOP



SS 29/30 / 6mm	KBK 1/13/1	<u>B</u>
SS 39	KBK 1/15/1	<u>B</u>
SS 47 and SS 48	KBK 1/17/1	<u>B</u>

1012/1028

SETTINGS WITH 2 MOVABLE RIVETED LOOPS



SS 29/30 / 6mm	KBK 1/13/2	<u>B</u>
SS 39	KBK 1/15/2	<u>B</u>
SS 47 and SS 48	KBK 1/17/2	<u>B</u>

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /

1088

XIRIUS Chaton

SETTINGS - 4 CLAWS



PP 17	K 1/1	B	
PP 23	K 1/2	B	
PP 27	K 1/4	B+L	AK 1/4 / L 4 holes - 1 hole each side
PP 29	K 1/6	B+L	AK 1/6 / L 4 holes - 1 hole each side
PP 32	K 1/7	B+L	AK 1/7 / L 4 holes - 1 hole each side
SS 18/19	K 1/9	B+L	AK 1/9 / L 4 holes - 1 hole each side
SS 21	K 1/21	B	
SS 22	K 1/22	B+L	AK 1/22 / L 4 holes - 1 hole each side
SS 24	K 1/11	B+L	AK 1/11 / L 4 holes - 1 hole each side
SS 29/30	K 1/13	B+L	AK 1/13 / L 4 holes - 1 hole each side
SS 29			AK 1/51 / L 4 holes - 2 holes each side
SS 34	K 1/14	B+L	AK 1/14 / L 4 holes - 2 holes each side
SS 39	K 1/15	B+L	AK 1/15 / L 4 holes - 2 holes each side
SS 45	K 1/16	B+L	AK 1/16 / L 4 holes - 2 holes each side
SS 48	K 1/17	B+L	AK 1/17 / L 4 holes - 2 holes each side

length of claws ca. 2,7mm

SS 48	K 1/70	B	ONLY CLOSED BACK
	length of claws ca. 3,2mm		
SS 50	K 1/18	B+L	AK 1/18 / L 4 holes - 2 holes each side

1088



SEW-ON settings for rubber straps and other

SS 39	B+L	AK 1/15/2 mm	4 holes - 2 holes each side
SS 50	B+L	AK 1/18/2 mm	4 holes - 2 holes each side

1088



SETTINGS - 6 CLAWS

SS 29	K 25/1	B+L	
SS 34	K 25/2	B+L	AK 25/2 / L 4 holes - 2 holes each side
SS 39	K 25/3	B+L	AK 25/3 / L 4 holes - 2 holes each side

1088



SETTINGS

FRENCH

PP27 max. PP29	K 40/2	B+L	
SS 18/19	K 40/3	B+L	
SS 24	K 40/4	B+L	
SS 29	K 40/5	B+L	AK 40/5 / L 4 holes - 1 hole each side
SS 34	K 40/6	B+L	
SS 39	K 40/8	B+L	
SS 45	K 40/9	B+L	AK 40/9 / L 4 holes - 2 holes each side
SS 48	K 40/10	B+L	AK 40/10 / L 4 holes - 2 holes each side

1088



SETTINGS - 4 CLAWS

with ring

SS 29	K 70/107	B+L	with 1 ring
SS 29	K 70/108	B+L	with 2 rings
SS 39	K 70/111	B+L	with 1 ring
SS 39	K 70/112	B+L	with 2 rings

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

SETTINGS

SEW-ON

ARTICLE NO.

SIZE

K /

AK /

1088

CUP-CHAINS - 4 CLAWS

minimum

SS 34	KS 330/117 /1+/3	<u>10 m</u>	Standard	approx. 117 settings p. m.
SS 39	KS 331/102 /1+/3	<u>10 m</u>	Standard	approx. 102 settings p. m.
SS 45	KS 332/84 /1+/3	<u>10 m</u>	Standard	approx. 84 settings p. m.
SS 48	KS 339/75 /1+/3	<u>10 m</u>	Standard	approx. 75 settings p. m.

length of claws ca. 2,7mm

SS 48	KS 1017/75 /1+/3	<u>10 m</u>	Standard	approx. 75 settings p. m.
-------	------------------	-------------	----------	---------------------------

length of claws ca. 3,2mm

SS 50	KS 333/74 /1+/3	<u>10 m</u>	Standard	approx. 74 settings p. m.
-------	-----------------	-------------	----------	---------------------------

1088

CUP-CHAINS - 6 CLAWS

minimum



SS 29	KS 386/115 /1+/3	<u>10 m</u>	Standard	approx. 115 settings p. m.
-------	------------------	-------------	----------	----------------------------

1088

CUP-CHAINS - FRENCH

minimum



SS 29	KS 606/115 /1+/3	<u>10 m</u>	Standard	approx. 115 settings p. m.
-------	------------------	-------------	----------	----------------------------

1088



SETTINGS WITH 1 MOVABLE RIVETED LOOP

SS 29/30	KBK 1/13/1	<u>B</u>
SS 39	KBK 1/15/1	<u>B</u>
SS 48	KBK 1/17/1	<u>B</u>

1088



SETTINGS WITH 2 MOVABLE RIVETED LOOPS

SS 29/30	KBK 1/13/2	<u>B</u>
SS 39	KBK 1/15/2	<u>B</u>
SS 48	KBK 1/17/2	

1088



SETTINGS WITH SPECIAL STAMPED LOOP

/1 with one movable riveted loop

SS 48	KBL 1/17/1	<u>B</u>
-------	------------	----------

1088



SETTINGS WITH SPECIAL STAMPED LOOP

/2 with two movable riveted loop

SS 48	KBL 1/17/2	<u>B</u>
-------	------------	----------

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS

SEW-ON

K /

AK /

1088

EAR-POST TITANIUM fusion weld

+ setting with scroll loose



SS 29/30 M 15388/1/13
 SS 39 M 15388/1/15
 SS 48 M 15388/1/17

1088

EAR-POST TITANIUM fusion weld

+ setting with movable ring riveted

+ scroll loose



SS 29/30 M 15400/1/13
 SS 39 M 15400/1/15

1088

BUTTON



SS 29/30 KNK 1/13
 SS 48 KNK 1/17

1088

SETTINGS with rectangular slit 0,8x1,3mm in the wall




Slit = 0,8 x 1,3 mm

SS 29 K 300/1 + /3
 SS 39 K 331/1 + /3
 SS 48 K 339/1 + /3

1122

SETTINGS - 4 CLAWS

SEW-ON



SS 37 + 8 mm K 2/6
 SS 39 **** NEW **** K 2/24
 SS 45 + 10 mm K 2/7
 SS 47 + 11 mm K 2/1
 SS 50 + 12 mm K 2/8
 SS 58 + 14 mm K 2/2
 SS 65 + 16 mm K 2/9
 SS 75 + 18mm K 2/10

B+L AK 2/6 / L 4 holes - 2 holes each side
 B+L AK 2/24 / L 4 holes - 2 holes each side
 B+L AK 2/7 / L 4 holes - 2 holes each side
 B+L AK 2/1 / L 4 holes - 2 holes each side
 B+L AK 2/8 / L 4 holes - 2 holes each side
 B+L AK 2/2 / L 4 holes - 2 holes each side
 B+L AK 2/9 / L 4 holes - 2 holes each side
 B+L AK 2/10 / L 4 holes - 2 holes each side

1122

SETTINGS - 4 CLAWS

SEW-ON



20 mm - hight of wall
 6,6mm K 2/13
 20 mm - hight of wall
 4,6mm **NEW** K 2/23
 25 mm K 2/11

4 holes - 2 holes each side
 B+L AK 2/13 / L 4 holes - 2 holes each side
 B+L AK 2/23 / L 4 holes - 2 holes each side
 B+L AK 2/11 / L 4 holes - 2 holes each side

1122

SETTINGS

MILLGRAIN



8 mm K 80/30 B
 10 mm K 80/31 B
 11 mm K 80/39 B
 12 mm K 80/32 B
 14 mm K 80/33 B
 16 mm K 80/67 B
 18 mm K 80/68 B

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS

K /

SEW-ON

AK /

1122



STAMPINGS - FRAMES FOR GLUING

SS 39	P 07620/SS39	without ring	
SS 39	P 08004	with 1 ring	
SS 39	P 08005	with 2 rings	
SS 47	P 07620/SS47	without ring	
SS 47	P 07675	with 1 ring	plain
SS 47	P 07860	with 1 ring	grained
SS 47	P 07676	with 2 rings	plain
SS 47	P 07861	with 2 rings	grained
SS 60	P 07620/SS60	without ring	
SS 60	P 08006	with 1 ring	
SS 60	P 08007	with 2 rings	
18 mm	P 07998	without ring	
18 mm	P 07999	with 1 ring	
18 mm	P 08000	with 2 rings	

1122

CUP-CHAINS - 4 CLAWS

minimum

SS 45 + 10 mm	KS 1000/84 /1+/3	<u>10 m</u>	Standard	approx. 84 settings p. m.
SS 50 + 12 mm	KS 1001/74 /1+/3	<u>10 m</u>	Standard	approx. 74 settings p. m.
SS 58 + 14 mm	KS 793/66 /1+/3	<u>10 m</u>	Standard	approx. 66 settings p. m.
20mm	KS 1009/43 /1+/3	<u>25 m</u>	Standard	approx. 43 settings p. m.

1200



SETTINGS - 4 CLAWS

SS 47 + 11 mm	K 2/1
SS 59 HIGH WALL	K 1/20

SEW-ON

B+L	AK 2/1 L	4 holes - 2 holes each side
B+L	AK 1/20 / L	4 holes - 2 holes each side

1200

CUP-CHAINS - 4 CLAWS

minimum

SS 59 HIGH WALL	KS 794/66 /1+/3	<u>10 m</u>	Standard	approx. 66 settings p. m.
-----------------	-----------------	-------------	----------	---------------------------


1201

SETTINGS - 4 CLAWS

27 mm	K 2/16
35 mm	K 2/40

SEW-ON

B+L	AK 2/16 / L	4 holes - 2 holes each side
B+L	AK 2/40 / L	4 holes - 2 holes each side



1201

OPEN FRAMES - 4 CLAWS

27 mm	K 2/5	L	open back
-------	-------	---	-----------



K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS

SEW-ON

K /

AK /


1201



STAMPINGS - FRAMES FOR GLUING

27 mm	P 07908	without ring
27 mm	P 07909	with 1 ring
27 mm	P 07910	with 2 rings
35 mm	P 07987	without ring
35 mm	P 07988	with 1 ring
35 mm	P 07989	with 2 rings

1300/1357




SETTINGS - 4 CLAWS

SS 17	K 1/7
SS 29	K 1/13
SS 29	
SS 39	K 1/15
SS 45	K 1/16

SEW-ON

B+L	AK 1/7 / L	4 holes - 1 hole each side
B+L	AK 1/13 / L	4 holes - 1 hole each side
	AK 1/51 / L	4 holes - 2 holes each side
B+L	AK 1/15 / L	4 holes - 2 holes each side
B+L	AK 1/16 / L	4 holes - 2 holes each side

2006




SETTINGS - 4 CLAWS

10 mm	K 2/7
12 mm	K 2/8
14 mm	K 2/2
16 mm	K 2/9

SEW-ON

B+L	AK 2/7	4 holes - 2 holes each side
B+L	AK 2/8	4 holes - 2 holes each side
B+L	AK 2/2	4 holes - 2 holes each side
B+L	AK 2/9	4 holes - 2 holes each side

2000/2006



SETTINGS

10 mm millgrain
10 mm plain
12 mm millgrain
12 mm plain

MILLGRAIN

K 80/8
K 80/10

PLAIN

B
B K 80/58
B
B K 80/59

2000/2006



SETTINGS

14 mm millgrain
14 mm millgrain
14 mm plain
16 mm millgrain
16 mm plain

MILLGRAIN


K 80/13
AK 80/13 / B
K 80/15

PLAIN

B	
B	
B	K 80/60
B	
B	K 80/61

4 holes in bottom

2020



SETTINGS

8 mm millgrain
8 mm plain
10 mm millgrain
10 mm plain
12 mm millgrain
12 mm plain
16 mm millgrain
16 mm plain

MILLGRAIN

K 80/6
K 80/8
K 80/10
K 80/15

PLAIN

B
B K 80/48
B
B K 80/58
B
B K 80/59
B
B K 80/61

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.
- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING K / B closed back K / L open back
SETTINGS for SEW-ON AK / L open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

K /

SEW-ON


AK /

2028

Xilion Rose

SETTINGS for SEW-ON

material: BRASS MS 63



SS 13
 SS 16
 SS 18
 SS 20
 SS 24
 SS 30
 SS 34
 SS 40
 SS 43
 SS 48

AK 1/42
 AK 1/26
 AK 1/27
 AK 1/28
 AK 1/29
 AK 1/30
 AK 1/31
 AK 1/39
 AK 1/33
 AK 1/40

with cross on backside
 with cross on backside
 with cross on backside
 with cross on backside
 with cross on backside
 with cross on backside
 with cross on backside
 with cross on backside
 with cross on backside
 with cross on backside

2028

Xilion Rose

SETTINGS for TEXTILE / LEATHER

"Tiffany Settings" grained

material: BRASS MS 63



SS 16
 SS 20
 SS 25
 SS 30
 SS 34
 SS 40

K 1/60 / L
 K 1/56 / L
 K 1/62 / L
 K 1/57 / L
 K 1/63 / L
 K 1/58 / L

2030

SETTINGS

MILLGRAIN

PLAIN



20 mm
 30 mm

K 80/17
 K 80/49

B
 B

2035

SETTINGS

MILLGRAIN

PLAIN

20 mm
 30 mm

K 80/17
 K 80/49

B
 B


**Please ask for samples
 before ordering !!!**

2072

SETTINGS

MILLGRAIN

PLAIN



8 mm millgrain
 8 mm plain
 10 mm millgrain
 10 mm plain
 12 mm millgrain
 12 mm plain

K 80/6
 K 80/8
 K 80/10

B
 B
 B
 B
 B

K 80/48
 K 80/58
 K 80/59

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

List of **SWAROVSKI**-Number and corresponding **JOSEF BERGS** references

01.01.2013

SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS


SEW-ON

2090/4

SETTINGS


MILLGRAIN

PLAIN



2 mm millgrain	K 80/73	B	
3 mm millgrain	K 80/1	B	
4 mm millgrain	K 80/2	B	
5 mm millgrain	K 80/3	B	
5 mm plain		B	K 80/56
6 mm millgrain	K 80/4	B	
6 mm plain		B	K 80/47
7 mm millgrain	K 80/5	B	
8 mm millgrain	K 80/6	B	
8 mm plain		B	K 80/48
10 mm millgrain	K 80/8	B	
10 mm plain		B	K 80/58
12 mm millgrain	K 80/10	B	
12 mm plain		B	K 80/59
14 mm millgrain	K 80/13	B	
14 mm plain		B	K 80/60

2110/2 / 2190/4 / 2796/4




SETTINGS

MILLGRAIN

PLAIN

6x4 mm millgrain	K 83/36	B	
6x4 mm plain		B	K 83/30
8x6 mm millgrain	K 83/2	B	
8x6 mm plain	K 83/21	B	K 83/21
10x8 mm millgrain	K 83/3	B	
10x8 mm plain		B	K 83/22
14x10 mm millgrain	K 83/5	B	

2110/2 / 2190/4 / 2796/4



SETTINGS

MILLGRAIN

PLAIN

14x10 mm millgrain	AK 83/5 tu	B	with tunnel on the backside of SEWING
14x10 mm plain		B	K 83/27
18x13 mm millgrain	K 83/7	B	
18x13 mm millgrain	AK 83/7	B	with tunnel on the backside of SEWING
18x13 mm plain		B	K 83/24

2200/2



SETTINGS

MILLGRAIN

PLAIN

8x4 mm millgrain	K 81/1	B	
------------------	--------	---	--

2300/2 +

2390/4



SETTINGS

MILLGRAIN

PLAIN

8x4,8 mm millgrain	K 82/1	B	
10x6 mm millgrain	K 82/5	B	



K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

List of **SWAROVSKI**-Number and corresponding **JOSEF BERGS** references
01.01.2013

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE


SETTINGS

K /

SEW-ON

AK /

2400




SETTINGS

4 mm millgrain
6 mm millgrain
8 mm millgrain
10 mm millgrain
12 mm millgrain

MILLGRAIN

K 85/1 B
K 85/2 B
K 85/3 B
K 85/4 B
K 85/5 B

2415



SETTINGS

4 mm millgrain

MILLGRAIN

K 85/1 B

2483



SETTINGS - 4 CLAWS

25 mm **K 12/25**

SEW-ON

B+L AK 12/25 / L 4 holes / 1 hole each side

ATTENTION: stone can only be set after SEW-ON!

2483

SETTINGS

10mm millgrain

MILLGRAIN

K 85/4 B

PLAIN

2493



SETTINGS - 4 CLAWS

8 mm ****** **K 12/3**
10 mm ****** **K 12/4**

20 mm **K 12/21**
30 mm **K 12/22**

SEW-ON

B+L AK 12/3 4 holes / 2 holes each side
B+L AK 12/4 4 holes / 2 holes each side
**** Please ask for samples before ordering!**
B AK 12/21 8 holes / 2 holes each side
B AK 12/22 8 holes / 2 holes each side

2493




SETTINGS

8 mm millgrain **K 85/3**
10 mm millgrain **K 85/4**
12 mm millgrain **K 85/5**
20 mm plain **K 85/14**
30 mm millgrain **K 85/9**

B please ask for sample
B please ask for sample
B please ask for sample

2520



SETTINGS

8x6 mm millgrain **K 84/13**
8x6mm millgrain **AK 84/13**
10x8 mm millgrain **K 84/14**
10x8mm millgrain **AK 84/14**
14x10 mm millgrain **K 84/1**
14x10mm millgrain **AK 84/1**
20x14mm plain **K 84/16**

B
B with tunnel on the backside for SEWING
B
B with tunnel on the backside for SEWING
B
B with tunnel on the backside for SEWING
B

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI SETTINGS SEW-ON
ARTICLE NO. SIZE **K /** **AK /**

2585



SETTINGS - 4 CLAWS

8x6mm	K 9/23	B+L	AK 9/23 / L	4 holes - 2 holes each side
10x8mm	K 9/24	B+L	AK 9/24 / L	4 holes - 2 holes each side
14x10mm	K 9/25	B+L	AK 9/25 / L	4 holes - 2 holes each side

2709

SETTINGS - 4 CLAWS



13x8mm

K 15/9
ONLY closed back

B

2711

SETTINGS

MILLGRAIN



6 mm millgrain

K 86/7

B

2796/4

SETTINGS

MILLGRAIN



14x7 mm millgrain

K 83/44

B

2893/4

SETTINGS

MILLGRAIN



10 mm millgrain

K 86/17

B

3700

SETTINGS for SOLDERING

SEW-ON

Rosette

12 mm

K 90/37

B

AK 90/37 / B

4 holes - 2 holes each side



3700

CUP-CHAINS

minimum

Rosette

12mm

KK 9677/1/68


10 m Standard

approx. 68 settings p. m.

4100/4110/2/4128/4129/1/4130/2/4140

SETTINGS - 4 CLAWS

SEW-ON



6x4mm

K 7/1

B+L AK 7/1 / L

2 holes - 1 hole each side

7x5mm

K 7/2

B+L AK 7/2 / L


2 holes - 1 hole each side

8x6mm

K 7/3

B+L AK 7/3 / L

4 holes - 2 holes each side



10x8mm

K 7/4

B+L AK 7/4 / L

4 holes - 2 holes each side

12x8mm

K 7/5

B+L AK 7/5 / L

4 holes - 2 holes each side

12x10mm

K 7/6

B+L AK 7/6 / L

4 holes - 2 holes each side



14x10mm

K 7/7

B+L AK 7/7 / L

4 holes - 2 holes each side

4100/4110/2/4128/4129/1/4130/2/4140

SETTINGS

FRENCH



10x8mm

K 43/2

B+L

12x10mm

K 43/3

B+L

14x10mm

K 43/4

B+L

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING K / B closed back K / L open back
SETTINGS for SEW-ON AK / L open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.



SIZE

SETTINGS

SEW-ON

4100

STAMPINGS FOR GLUING

	8x6 mm	P 07433	without ring
	8x6 mm	P 07434	with 1 ring
8x6 + 10x8 mm	10x8 mm	P 07435	without ring
	10x8 mm	P 07436	with 1 ring
	14x10 mm	P 07383	without ring
	14x10 mm	P 07384	with 1 ring
14x10 + 18x13 mm	18x13 mm	P 07385	without ring
	18x13 mm	P 07386	with 1 ring

4100/4110/2/4128/4129/1/4130/2/4140

CUP-CHAINS - 4 CLAWS


minimum

10x8mm	KS 323/102 /1+/3	<u>10 m</u>	Standard	approx. 102 settings p. m.
12x10mm	KS 324/84 /1+/3	<u>10 m</u>	Standard	approx. 84 settings p. m.
14x10mm	KS 325/82 /1+/3	<u>10 m</u>	Standard	approx. 82 settings p. m.

4114

SETTINGS - 4 CLAWS

SEW-ON



14x10mm	K 7/7	<u>B+L</u>	AK 7/7 / L	4 holes - 2 holes each side
18x13mm	K 7/9	<u>B+L</u>	AK 7/9 / L	4 holes - 2 holes each side

4114

SETTINGS

FRENCH

14x10 mm	K 43/4	B+L		
18x13 mm	K 43/6	B+L	AK 43/6 / L	4 holes - 2 holes each side

4114

CUP-CHAINS - 4 CLAWS


minimum

14x10mm	KS 325/82 /1+/3	<u>10 m</u>	Standard	approx. 82 settings p. m.
18x13mm	KS 327/72 /1+/3	<u>10 m</u>	Standard	approx. 72 settings p. m.

4116

SETTINGS - 4 CLAWS

SEW-ON




14x10mm	K 7/30	B+L	AK 7/30 / L	4 holes - 2 holes each side
---------	--------	-----	-------------	-----------------------------

4120

SETTINGS - 4 CLAWS

SEW-ON



6x4mm	K 7/1	B+L	AK 7/1 / L	2 holes - 1 hole each side
8x6mm	K 7/3	B+L	AK 7/3 / L	4 holes - 2 holes each side
14x10mm	K 7/7	B+L	AK 7/7 / L	4 holes - 2 holes each side
16x11mm	K 7/8	B+L	AK 7/8 / L	4 holes - 2 holes each side
18x13mm	K 7/9	B+L	AK 7/9 / L	4 holes - 2 holes each side
20x15mm	K 7/10	B+L	AK 7/10 / L	4 holes - 2 holes each side
25x18mm	K 7/11	B+L	AK 7/11 / L	4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B closed back** **K / L open back**
SETTINGS for SEW-ON **AK / L open back**
CUP-CHAINS / 1 for Bracelet **/ 3 for Necklace** **/ 2 horizontal**

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS

SEW-ON

4120

SETTINGS

K /

AK /

FRENCH

SEW-ON



14x10mm
18x13 mm
25x18 mm

K 43/4
K 43/6
K 43/8

B+L
B+L
B+L

AK 43/6 / L

4 holes - 2 holes each side

4120

STAMPINGS - FRAMES FOR GLUING



14x10 mm
14x10 mm
14x10 mm
18x13 mm
18x13 mm
18x13 mm
25x18 mm
25x18 mm
25x18 mm

P 07995
P 07996
P 07997
P 07881
P 07882
P 07883
P 07905
P 07906
P 07907

without ring
with 1 ring
with 2 rings
without ring
with 1 ring
with 2 rings
without ring
with 1 ring
with 2 rings

4123

SETTINGS - 4 CLAWS

SEW-ON



14x7 mm
16x8 mm
18x9 mm

K 8/3
K 8/4
K 8/5


B+L AK 8/3 L
B+L AK 8/4 L
B+L AK 8/5 L

4 holes - 2 holes each side
4 holes - 2 holes each side
4 holes - 2 holes each side

4127

SETTINGS - 4 CLAWS

SEW-ON



30x22 mm
39x28 mm

K 7/14
K 7/40

B+L AK 7/14 /L
B+L AK 7/40 /L

4 holes - 2 holes each side
4 holes - 2 holes each side



4127

STAMPINGS - FRAMES FOR GLUING



30x22 mm
30x22 mm
30x22 mm
39x28 mm
39x28 mm
39x28 mm

P 07975
P 07976
P 07977
P 08016
P 08017
P 08018

without ring
with 1 ring
with 2 rings
without ring
with 1 ring
with 2 rings

4128

SETTINGS - 4 CLAWS

SEW-ON



6x4mm
14x10mm


K 7/1
K 7/7

B+L AK 7/1 / L
B+L AK 7/7 / L

2 holes - 1 hole each side
4 holes - 2 holes each side

4137

STAMPINGS - FRAMES FOR GLUING



22x16 mm
22x16 mm
22x16 mm

P 07978/G
P 07979/G
P 07980/G

without ring
with 1 ring
with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
<u>4139</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	14 mm/L open back	K 2/19	L AK 2/19 / L
			4 holes - 2 holes each side
	20 mm/L open back	K 2/20	L AK 2/20 / L
			4 holes - 2 holes each side
<u>4139</u>	<u>STAMPINGS - FRAMES FOR GLUING</u>		
	20 mm	P 07942/G	without ring
	20 mm	P 07943/G	with 1 ring
	20 mm	P 07944/G	with 2 rings
<u>4161</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	15x5 mm	K 9/31	B+L AK 9/31 / L
	21x7 mm	K 9/32	B+L AK 9/32 / L
	27x9 mm	K 9/33	B+L AK 9/33 L
			4 holes - 2 holes each side
<u>4161</u>	<u>STAMPINGS - FRAMES FOR GLUING</u>		
	15x5 mm	P 08001	without ring
	15x5 mm	P 08002	with 1 ring
	15x5 mm	P 08003	with 2 rings
	21x7 mm	P 07893	without ring
	21x7 mm	P 07894	with 1 ring
	21x7 mm	P 07895	with 2 rings
<u>4161</u>	<u>STAMPINGS - FRAMES FOR GLUING</u>		
	27x9 mm	P 07896	without ring
	27x9 mm	P 07897	with 1 ring
	27x9 mm	P 07898	with 2 rings
<u>4161</u>	<u>CUP-CHAINS - 4 CLAWS</u>		<u>minimum</u>
	21x7mm	KS 998/2/43	<u>10 m</u> Standard
			approx. 43 settings p. m.
<u>4196</u>	<u>STAMPINGS - FRAMES FOR GLUING</u>		
	23x20mm	P 08037	without ring
	23x20mm	P 08038	with 1 ring
	23x20mm	P 08039	with 2 rings
	<u>STAMPINGS - FRAMES FOR GLUING</u>		
	30x26mm	P 08040	without ring
	30x26mm	P 08041	with 1 ring
	30x26mm	P 08042	with 2 rings

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

K /

SETTINGS


AK /

4200

SETTINGS - 4 CLAWS

SEW-ON

4200/2

	5x2,5mm	K 5/1	B	AK 5/1 / B	2 holes - 1 hole each side
	6x3mm	K 5/2	B+L	AK 5/2 / L	2 holes - 1 hole each side
	8x4mm	K 5/5	B+L	AK 5/5 / L	4 holes - 2 holes each side
	10x5mm	K 5/7	B+L	AK 5/7 / L	4 holes - 2 holes each side
	11x3mm	K 5/9	B	AK 5/9 / B	4 holes - 2 holes each side
	12x6mm	K 5/10	B+L	AK 5/10 / L	4 holes - 2 holes each side
	15x4mm	K 5/12	B	AK 5/12 / B	4 holes - 2 holes each side
	15x7mm	K 5/15	B+L	AK 5/15 / L	4 holes - 2 holes each side
	18x9mm	K 5/17	B+L	AK 5/17 / L	4 holes - 2 holes each side
	35x9,5mm	K 5/30	B+L	AK 5/30 / L	4 holes - 2 holes each side
	48x13mm	K 5/31	B+L	AK 5/31 / L	4 holes - 2 holes each side

4200

SETTINGS

FRENCH

4200/2



8x4mm	K 42/1	B+L
10x5 mm	K 42/2	B+L
15x7 mm	K 42/4	B+L

4200

SETTINGS - 4 CLAWS

with ring

4200/2



10x5mm	K 70/27	B+L
11x3mm	K 70/28	B
15x7mm	K 70/104	B+L

4200

STAMPINGS - FRAMES FOR GLUING

4200/2



8x4mm	PA 07697	with 1 ring	automatic production
3 x 8x4mm + 1x SS24 for Swaro 1012/1028	P 07696	with 4 rings	

4200

STAMPINGS - FRAMES FOR GLUING

4200/2



10x5mm	P 07850	without ring
10x5mm	P 07851	with 1 ring
10x5mm	P 07852	with 2 rings

4200

STAMPINGS - FRAMES FOR GLUING

4200/2



15x7mm	P 07843	without ring
15x7mm	P 07844	with 1 ring
15x7mm	P 07845	with 2 rings

4200

35x9,5mm	P 08031	without ring
35x9,5mm	P 08032	with 1 ring
35x9,5mm	P 08033	with 2 rings
48x13mm	P 08034	without ring
48x13mm	P 08035	with 1 ring
48x13mm	P 08036	with 2 rings

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet **/ 3** for Necklace **/ 2** horizontal

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS

SEW-ON

K /

AK /

4200



STAMPINGS FOR GLUING

10x 5mm

P 07404

without ring

10x 5mm

P 07405

with 1 ring

4200

CUP-CHAINS - 4 CLAWS

minimum

10x5mm

KS 304/148 /1+/3

10 m

Standard

approx. 148 settings p. m.

15x7mm

KS 307/110 /1+/3

10 m

Standard

approx. 110 settings p. m.

4202/2



SETTINGS - 4 CLAWS

15x7mm

K 5/15

B+L

SEW-ON

AK 5/15 / L

4 holes - 2 holes each side

4224

SETTINGS - 4 CLAWS

10x8mm

K 7/4

B+L

SEW-ON

AK 7/4 / L

4 holes - 2 holes each side

4224

STAMPINGS - FRAMES FOR GLUING

14x11 mm

P 08088

without ring

14x11 mm

P 08089

with 1 ring

14x11 mm

P 08090

with 2 rings

23x18mm

P 08091

without ring

23x18mm

P 08092

with 1 ring

23x18mm

P 08093

with 2 rings

4227


32x17 mm

K 5/26

B+L

AK 5/26 / L

4 holes - 2 holes each side



4227

STAMPINGS - FRAMES FOR GLUING



32x17 mm

P 07899

without ring

32x17 mm

P 07900

with 1 ring

32x17 mm

P 07901

with 2 rings

4228/4231

SETTINGS - 4 CLAWS

SEW-ON

6x3mm

K 5/2

B+L

AK 5/2 / L

2 holes - 1 hole each side

8x4mm

K 5/5

B+L

AK 5/5 / L

4 holes - 2 holes each side

10x5mm

K 5/7

B+L

AK 5/7 / L

4 holes - 2 holes each side

15x7mm

K 5/15

B+L

AK 5/15 / L

4 holes - 2 holes each side

18x9mm

K 5/17

B+L

AK 5/17 / L

4 holes - 2 holes each side



K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

K /

SETTINGS

AK /

4228/4231

SETTINGS - 4 CLAWS

with ring

15x7mm

K 70/104

B+L



4228/4231

STAMPINGS - FRAMES FOR GLUING

3 x 8x4 mm +

P 07696

with 4 rings

1x SS24 for Swaro 1012/1028



8x4 mm

PA 07697

with 1 ring

automatic production

4228/4231

STAMPINGS - FRAMES FOR GLUING

10x5mm

P 07850

without ring

10x5mm

P 07851

with 1 ring

10x5mm

P 07852

with 2 rings

15x7mm

P 07843

without ring

15x7mm

P 07844

with 1 ring

15x7mm

P 07845

with 2 rings

18x9 mm

P 07948

without ring

18x9 mm

P 07949

with 1 ring

18x9 mm

P 07950

with 2 rings



4228/4231

CUP-CHAINS - 4 CLAWS

minimum

10x5mm

KS 304/148 /1+/3

10 m

Standard

approx. 148 settings p. m.

15x7mm

KS 307/110 /1+/3

10 m


Standard

approx. 105 settings p. m.

4300

SETTINGS - 4 CLAWS

SEW-ON



6x3.6 mm

K 3/1

B+L AK 3/1 / L

2 holes - 1 hole each side

8x4,8 mm

K 3/2

B+L AK 3/2 / L

4 holes - 2 holes each side

10x6 mm

K 3/3

B+L AK 3/3 / L

4 holes - 2 holes each side

13x7,8 mm

K 3/4

B+L AK 3/4 / L

4 holes - 2 holes each side

4300

SETTINGS

FRENCH



13x7,8 mm

K 41/2

B+L

4300

SETTINGS FOR GLUING

with ring



10x6mm

K 3/12

B

4300

STAMPINGS FOR GLUING



10x6 mm

P 07408

without ring

10x6 mm

P 07409

with 1 ring

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet **/ 3** for Necklace **/ 2** horizontal

SWAROVSKI

ARTICLE NO.

SIZE

K /

SETTINGS

SEW-ON

4300



SETTINGS - 4 CLAWS

with ring

8x4,8mm	K 70/6	B+L
10x6mm	K 70/7	B+L
13x7,8mm	K 70/9	B+L

4300

CUP-CHAINS - 4 CLAWS

minimum

10x6mm	KS 309/126 /1+/3	<u>10 m</u>	Standard	approx. 126 settings p. m.
13x7,8mm	KS 308/98 /1+/3	<u>10 m</u>	Standard	approx. 98 settings p. m.

4316



SETTINGS - 4 CLAWS

SEW-ON

14x10mm	K 4/2	B+L	AK 4/2 / L	4 holes - 2 holes each side
---------	-------	-----	------------	-----------------------------


4316

SETTINGS - 4 CLAWS

with ring

14x10mm	K 70/109	B+L	with 1 ring
14x10 mm	K 70/110	B+L	with 2 rings

4320



SETTINGS - 4 CLAWS

SEW-ON

6x4 mm	K 4/13	B+L	AK 4/13 / L	2 holes - 1 hole each side
8x6 mm	K 4/11	B+L	AK 4/11 / L	4 holes - 2 holes each side
10x7 mm	K 4/1	B+L	AK 4/1 / L	4 holes - 2 holes each side
13x8,5 mm	K 4/10	B+L	AK 4/10 / L	4 holes - 2 holes each side
14x10 mm	K 4/2	B+L	AK 4/2 / L	4 holes - 2 holes each side
15x11 mm	K 4/3	B+L	AK 4/3 / L	4 holes - 2 holes each side
18x13 mm	K 4/4	B+L	AK 4/4 / L	4 holes - 2 holes each side
20x15 mm	K 4/8	B+L	AK 4/8 / L	4 holes - 2 holes each side
25x18 mm ***	K 4/12	B+L	AK 4/12 / L	4 holes - 2 holes each side

*** 25x18mm - no stone from Swarovski available

4320



SETTINGS

FRENCH

15x11 mm	K 41/3	B+L
----------	--------	-----

4320

SETTINGS - 4 CLAWS

with ring



14x10mm	K 70/109	B+L	with 1 ring
14x10 mm	K 70/110	B+L	with 2 rings
18x13 mm	K 70/11	B+L	with 1 ring

4320

STAMPINGS - FRAMES FOR GLUING



8x6 mm	P 07955	without ring
8x6 mm	P 07956	with 1 ring
8x6 mm	P 07957	with 2 rings

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet **/ 3** for Necklace **/ 2** horizontal

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS

SEW-ON

K /

AK /

4320

STAMPINGS - FRAMES FOR GLUING



14x10mm	P 07719	without ring
14x10mm	P 07720	with 1 ring
14x10mm	P 07721	with 2 rings
18x13mm	P 07831	without ring
18x13mm	P 07832	with 1 ring
18x13mm	P 07833	with 2 rings

4320

CUP-CHAINS - 4 CLAWS minimum

18x13mm	KS 311/71 /1+/3	<u>10 m</u> Standard	approx. 71 settings p. m.
---------	-----------------	----------------------	---------------------------

4327

SETTINGS - 4 CLAWS **SEW-ON**




30x20mm	K 3/9	B+L AK 3/9 / L	4 holes - 2 holes each side
40x27 mm	K 3/40	B+L AK 3/40 /L	4 holes - 2 holes each side

4327

STAMPINGS - FRAMES FOR GLUING




30x20 mm	P 07902	without ring
30x20 mm	P 07903	with 1 ring
30x20 mm	P 07904	with 2 rings
40x27 mm	P 07970	without ring
40x27 mm	P 07971	with 1 ring



4327


STAMPINGS - FRAMES WITH 4 CLAWS

40x27 mm	P 07967	without ring
40x27 mm	P 07968	with 1 ring



4328

SETTINGS - 4 CLAWS **SEW-ON**



6x3,6 mm	K 3/1	B+L AK 3/1 / L	2 holes - 1 hole each side
8x4,8 mm	K 3/2 *	B+L AK 3/2 / L	4 holes - 2 holes each side
10x6 mm	K 3/3	B+L AK 3/3 / L	4 holes - 2 holes each side
13x7,8 mm	K 3/4	B+L AK 3/4 / L	4 holes - 2 holes each side

* please ask for sample before ordering

4328

SETTINGS **FRENCH**



13x7,8 mm	K 41/2	B+L
-----------	--------	-----

4328

SETTINGS FOR GLUING **with ring**



10x6mm	K 3/12	B
--------	--------	---

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

K /

SETTINGS

SEW-ON

4328

STAMPINGS FOR GLUING



10x6 mm P 07408
 10x6 mm P 07409

without ring
 with 1 ring

4328



SETTINGS - 4 CLAWS

8x4,8mm K 70/6 *
 10x6mm K 70/7
 13x7,8mm K 70/9

with ring

B+L * please ask for sample before ordering
 B+L
 B+L

4328

CUP-CHAINS - 4 CLAWS

10x6mm KS 309/126 /1+/3
 13x7,8mm KS 308/98 /1+/3

minimum

10 m Standard approx. 126 settings p. m.
10 m Standard approx. 98 settings p. m.

4370




SETTINGS - 4 CLAWS

11x10 mm K 23/29
 15,5x14 mm K 23/30
 20x18 mm K 23/31

SEW-ON

B+L AK 23/29 / L 4 holes - 2 holes each side
 B+L AK 23/30 / L 4 holes - 2 holes each side
 B+L AK 23/31 / L 4 holes - 2 holes each side

4400



SETTINGS - 4 CLAWS

6 mm K 12/2
 5 mm K 12/6
 8 mm K 12/3

SEW-ON

B+L AK 12/2 / L 4 holes - 2 holes each side
 B+L AK 12/6 / L 2 holes - 1 hole each side
 B+L AK 12/3 / L 4 holes - 2 holes each side

4400



STAMPINGS FOR GLUING

6 mm P 07602
 6 mm P 07603
 8 mm P 07393
 8 mm P 07394
 10 mm P 07395
 10 mm P 07396

without ring
 with 1 ring
 without ring
 with 1 ring
 without ring
 with 1 ring

4401




SETTINGS - 4 CLAWS

4 mm K 12/1
 3 mm K 12/13

SEW-ON

B+L AK 12/1 / L 4 holes - 1 hole each side
 B+L AK 12/13 / L 4 holes - 1 hole each side

4404



SETTINGS - 4 CLAWS

6 mm K 12/2
 8 mm K 12/3

SEW-ON

B+L AK 12/2 / L 4 holes - 2 holes each side
 B+L AK 12/3 / L 4 holes - 2 holes each side

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
<u>ARTICLE NO.</u>	<u>SIZE</u>	<u>K /</u>	<u>AK /</u>
<u>4410</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	10 mm	K 12/4	B+L AK 12/4 / L 4 holes - 2 holes each side
	12 mm	K 12/5	B+L AK 12/5 L 4 holes - 2 holes each side
<u>4415</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	3 mm	K 12/13	B+L AK 12/13 / L 4 holes - 1 hole each side
	4 mm	K 12/1	B+L AK 12/1 / L 4 holes - 1 hole each side
<u>4428 Xilion</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	3 mm	K 12/13	B+L AK 12/13 / L 4 holes - 1 hole each side
	4 mm	K 12/1	B+L AK 12/1 / L 4 holes - 1 hole each side
	5 mm	K 12/6	B+L AK 12/6 / L 2 holes - 1 hole each side
	6 mm	K 12/2	B+L AK 12/2 / L 4 holes - 2 holes each side
	8 mm	K 12/3	B+L AK 12/3 / L 4 holes - 2 holes each side
			<u>Attention:</u>
			<u>*Stone can only be set after SEW-ON !!</u>
<u>4439</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	14 mm open back	K 12/14	L AK 12/14* / L 4 holes - 2 holes each side
	20 mm open back	K 12/15	L AK 12/15* / L 4 holes - 2 holes each side
	30 mm open back	K 12/16	L AK 12/16* / L 4 holes - 2 holes each side
<u>4439</u>	<u>STAMPINGS - FRAMES FOR GLUING</u>		
	20 mm open back	P 07923/G	L without ring
	20 mm open back	P 07924/G	L with 1 ring
	20 mm open back	P 07925/G	L with 2 rings
<u>4439</u>	<u>PENDANT - STAMPING</u>		
	for 20 mm stone	PA 07692/G	plain open center, with ring
	for 20 mm stone	PA 07693/D	grained with ring
<u>4440/2</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
<u>4441/2</u>			
	4 mm	K 12/1	B+L AK 12/1 / L 4 holes - 1 hole each side
	5 mm	K 12/6	B+L AK 12/6 / L 2 holes - 1 hole each side
	6 mm	K 12/2	B+L AK 12/2 / L 4 holes - 2 holes each side
	8 mm	K 12/3	B+L AK 12/3 / L 4 holes - 2 holes each side
	10 mm	K 12/4	B+L AK 12/4 / L 4 holes - 2 holes each side
	12 mm	K 12/5	B+L AK 12/5 L 4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

K /

SETTINGS

SEW-ON

4447

SETTINGS - 4 CLAWS

SEW-ON



4 mm	K 12/1	B+L AK 12/1 / L	4 holes - 1 hole each side
5 mm	K 12/6	B+L AK 12/6 / L	2 holes - 1 hole each side
6 mm	K 12/2	B+L AK 12/2 / L	4 holes - 2 holes each side
8 mm	K 12/3	B+L AK 12/3 / L	4 holes - 2 holes each side
10 mm	K 12/4	B+L AK 12/4 / L	4 holes - 2 holes each side
12 mm	K 12/5	B+L AK 12/5 L	4 holes - 2 holes each side

4447

STAMPINGS - FRAMES FOR GLUING




8 mm	P 07782	without ring
8 mm	P 07783	with 1 ring
8 mm	P 07784	with 2 rings
12 mm	P 07914	without ring
12 mm	P 07915	with 1 ring
12 mm	P 07916	with 2 rings

4461

SETTINGS - 4 CLAWS

SEW-ON



8 mm	K 13/31	B+L AK 13/31 / L	4 holes - 2 holes each side
12 mm	K 13/24	B+L AK 13/24 / L	4 holes - 2 holes each side
16 mm	K 13/25	B+L AK 13/25 / L	4 holes - 2 holes each side

4461

STAMPINGS - FRAMES FOR GLUING




8mm	P 08065	without ring
8mm	P 08066	with 1 ring
8mm	P 08067	with 2 rings
12 mm	P 08010	without ring
12 mm	P 08011	with 1 ring
12 mm	P 08012	with 2 rings
16 mm	P 08013	without ring
16 mm	P 08014	with 1 ring
16 mm	P 08015	with 2 rings

4470

SETTINGS - 4 CLAWS

SEW-ON



8 mm	K 13/31	B+L AK 13/31 / L	4 holes - 2 holes each side
10 mm	K 13/26	B+L AK 13/26 / L	4 holes - 2 holes each side
12 mm	K 13/24	B+L AK 13/24 / L	4 holes - 2 holes each side
14 mm	K 13/13	B+L AK 13/13 / L	4 holes - 2 holes each side
16 mm	K 13/25	B+L AK 13/25 / L	4 holes - 2 holes each side
18 mm	K 13/14	B+L AK 13/14 / L	4 holes - 2 holes each side

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet **/ 3** for Necklace **/ 2** horizontal

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS

K /

SEW-ON

AK /

4470



STAMPINGS - FRAMES FOR GLUING

10 mm	P 07764	without ring
10 mm	P 07765	with 1 ring
10 mm	P 07766	with 2 rings
12 mm	P 07767	without ring
12 mm	P 07768	with 1 ring
12 mm	P 07769	with 2 rings

4470

CUP-CHAINS - 4 CLAWS

minimum

8 mm	KS 990/102 /1+3	<u>10 m</u>	Standard	approx.102 settings p. m.
12 mm	KS 987/72 /1+3	<u>10 m</u>	Standard	approx. 72 settings p. m.

4500



SETTINGS - 4 CLAWS


SEW-ON

6x2 mm	K 10/4	B		
10x3 mm	K 10/6	B	AK 10/6 / B	4 holes - 2 holes each side

4501

SETTINGS - 4 CLAWS

SEW-ON




4x2 mm	K 10/1	B	AK 10/1 / B	4 holes - 2 holes each side
5x2 mm	K 10/2	B		
5x2,5 mm	K 10/3	B		
6x2 mm	K 10/4	B		
7x3 mm	K 10/5	B	AK 10/5 / B	4 holes - 1 hole each side
10x5 mm	K 10/23	B+L	AK 10/23 / L	4 holes - 2 holes each side

4501/4502

SETTINGS - 4 CLAWS

SEW-ON



** AK 10/30 / L 4 holes - 2 holes each side


** high wall

** stones can be set - BEFORE SEW-ON !

4502

SETTINGS - 4 CLAWS

SEW-ON



10x5 mm	K 10/23	B+L	AK 10/23 / L	4 holes - 2 holes each side
---------	---------	-----	--------------	-----------------------------

4505

SETTINGS - 4 CLAWS


SEW-ON

14x8mm	K 9/38	B+L	AK 9/38 / L	4 holes - 2 holes each side
--------	--------	-----	-------------	-----------------------------

4510

SETTINGS - 4 CLAWS

SEW-ON



6x4mm	K 10/24	B+L	AK 10/24 / L	4 holes - 2 holes each side
10x8 mm	K 10/7	B+L	AK 10/7 / L	4 holes - 2 holes each side
14x10 mm	K 10/15	B+L	AK 10/15 / L	4 holes - 2 holes each side

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS

K /

SEW-ON

AK /

4524

STAMPINGS - FRAMES FOR GLUING

16 x 8mm	P 08094	without ring
16 x 8mm	P 08095	with 1 ring
16 x 8mm	P 08096	with 2 rings
23 x 11mm	P 08097	without ring
23 x 11mm	P 08098	with 1 ring
23 x 1mm	P 08099	with 2 rings

4515/4521

SETTINGS - 4 CLAWS

SEW-ON




4x2 mm	K 10/1	B	AK 10/1 / B	4 holes - 2 holes each side
--------	--------	---	-------------	-----------------------------

4527



SETTINGS - 4 CLAWS

SEW-ON



8x6 mm	K 10/18	B+L	AK 10/18 / L	4 holes - 2 holes each side
10x8 mm	K 10/7	B+L	AK 10/7 / L	4 holes - 2 holes each side
14x10 mm	K 10/15	B+L	AK 10/15 / L	4 holes - 2 holes each side
18x13 mm	K 10/16	B+L	AK 10/16 / L	4 holes - 2 holes each side

4527



STAMPINGS - FRAMES FOR GLUING

14x10 mm	P 07722	without ring
14x10 mm	P 07723	with 1 ring
14x10 mm	P 07724	with 2 rings

4527



STAMPINGS FOR GLUING

8x6 mm	P 07608	without ring
8x6 mm	P 07609	with 1 ring


4527

CUP-CHAINS - 4 CLAWS

minimum

14x10mm	KS 991/82 /1+/3	<u>10 m</u> Standard	approx. 82 settings p. m.
---------	-----------------	----------------------	---------------------------

4547



SETTINGS - 4 CLAWS

SEW-ON



15x5 mm	K 10/19	L + B	AK 10/19	L	4 holes - 2 holes each side
21x7 mm	K 10/20	L + B	AK 10/20	L	4 holes - 2 holes each side
24x8 mm	K 10/21	L + B	AK 10/21	L	4 holes - 2 holes each side
30x10 mm	K 10/22	L + B	AK 10/22	L	4 holes - 2 holes each side

4547

STAMPINGS - FRAMES FOR GLUING



15x5 mm	P 07770	without ring
15x5 mm	P 07771	with 1 ring
15x5 mm	P 07772	with 2 rings
21x7 mm	P 07773	without ring
21x7 mm	P 07774	with 1 ring
21x7 mm	P 07775	with 2 rings

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS

K /

SEW-ON

AK /

4547

STAMPINGS - FRAMES FOR GLUING




24x8 mm	P 07834	without ring
24x8 mm	P 07835	with 1 ring
24x8 mm	P 07836	with 2 rings
30x10 mm	P 07847	without ring
30x10 mm	P 07848	with 1 ring
30x10 mm	P 07849	with 2 rings

4565

SETTINGS - 4 CLAWS

SEW-ON



14x10 mm	K 9/25	B+L AK 9/25 / L	4 holes - 2 holes each side
18x13 mm	K 9/28	B+L AK 9/28 / L	4 holes - 2 holes each side

4570

SETTINGS - 4 CLAWS

SEW-ON



8x6 mm	K 9/23	B+L AK 9/23 / L	4 holes - 2 holes each side
10x8 mm	K 9/24	B+L AK 9/24 / L	4 holes - 2 holes each side
14x10 mm	K 9/25	B+L AK 9/25 / L	4 holes - 2 holes each side

4570

SETTINGS

FRENCH



8x6 mm	K 44/1	B+L	
10x8 mm	K 44/3	B+L	
14x10 mm	K 44/5	B+L AK 44/5 / L	4 holes - 2 holes each side
25x18 mm	K 44/9	B+L	

4581

SETTINGS - 4 CLAWS

SEW-ON



24x16 mm	K 9/37	B+L AK 9/37 / L	4 holes - 2 holes each side
----------	--------	-----------------	-----------------------------

4582



4584



4583

4583 - please ask for samples before ordering!

4581/4582/4583/4584

STAMPINGS - FRAMES FOR GLUING




24x16 mm	P 07926	without ring
24x16 mm	P 07927	with 1 ring
24x16 mm	P 07928	with 2 rings

4600

SETTINGS - 4 CLAWS

SEW-ON










6x4 mm	K 9/1	B+L AK 9/1 / L	2 holes - 1 hole each side
8x4 mm	K 9/3	B+L AK 9/3 / L	4 holes - 2 holes each side
8x6 mm	K 9/4	B+L AK 9/4 / L	4 holes - 2 holes each side

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.





- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
<u>4600</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	10x8 mm	K 9/6	B+L AK 9/6 / L 4 holes - 2 holes each side
	12x10 mm	K 9/9	B+L AK 9/9 / L 4 holes - 2 holes each side
	16x11 mm	K 9/12	B+L AK 9/12 / L 4 holes - 2 holes each side
<u>4600</u>	<u>SETTINGS</u>	<u>FRENCH</u>	
	8x6 mm	K 44/1	B+L
	10x8 mm	K 44/3	B+L
	12x10 mm	K 44/4	B+L
<u>4600</u>	<u>SETTINGS - 4 CLAWS</u>		<u>with ring</u>
	12x10 mm	K 70/26	B+L
<u>4600</u>	<u>STAMPINGS FOR GLUING</u>		
	10x8 mm	P 07473	without ring
	10x8 mm	P 07474	with 1 ring
	18x13 mm	P 07468	without ring
	18x13 mm	P 07469	with 1 ring
<u>4610/4611</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	14x10 mm	K 9/11	B+L AK 9/11 / L 4 holes - 2 holes each side
	18x13 mm	K 9/13	B+L AK 9/13 / L 4 holes - 2 holes each side
	20x15 mm	K 9/16	B+L AK 9/16 / L 4 holes - 2 holes each side
	25x18 mm	K 9/20	B+L AK 9/20 / L 4 holes - 2 holes each side
<u>4610/4611</u>	<u>SETTINGS</u>	<u>FRENCH</u>	
	14x10 mm	K 44/5	B+L AK 44/5 / L 4 holes - 2 holes each side
	18x13 mm	K 44/7	B+L AK 44/7 / L 4 holes - 2 holes each side
	25x18 mm	K 44/9	B+L
<u>4610</u>	<u>STAMPINGS - FRAMES FOR GLUING</u>		
	14x10 mm	P 07884	without ring
	14x10 mm	P 07885	with 1 ring
	14x10 mm	P 07886	with 2 rings
	18x13 mm	P 07887	without ring
	18x13 mm	P 07888	with 1 ring
	18x13 mm	P 07889	with 2 rings
<u>4610</u>	<u>CUP-CHAINS - 4 CLAWS</u>		<u>minimum</u>
	14x10mm	KS 317/82 /1+/3	<u>10 m</u> Standard approx. 82 settings p. m.

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
<u>4616</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	14x10 mm	K 9/30	B+L AK 9/30 / L 4 holes - 2 holes each side
<u>4627</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	27x18,5mm 37x25,5 mm	K 9/22 K 9/40	B+L AK 9/22 / L 4 holes - 2 holes each side B+L AK 9/40 / L 4 holes - 2 holes each side
<u>4627</u>	<u>STAMPINGS - FRAMES FOR GLUING</u>		
	27x18,5 mm	P 07920	without ring
	27x18,5 mm	P 07921	with 1 ring
	27x18,5 mm	P 07922	with 2 rings
<u>4650</u>	<u>OPEN FRAMES - 4 CLAWS</u>		
	8 mm	K 13/10	L open back
	14 mm	K 13/2	L open back
	18 mm	K 13/3	L open back
<u>4665</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	14 mm	K 13/9	B+L AK 13/9 / L 4 holes - 2 holes each side
	18 mm	K 13/11	B+L AK 13/11 / L 4 holes - 2 holes each side
<u>4671</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	8 mm	K 13/16	B+L AK 13/16 / L 4 holes - 2 holes each side
	10 mm	K 13/15	B+L AK 13/15 / L 4 holes - 2 holes each side
<u>4675</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	23 mm	K 13/12	B+L AK 13/12 / L 4 holes - 2 holes each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

SETTINGS

SEW-ON

4675



STAMPINGS - FRAMES FOR GLUING

23 mm	P 07917	without ring
23 mm	P 07918	with 1 ring
23 mm	P 07919	with 2 rings


4675



OPEN FRAMES - 4 CLAWS

23 mm	K 13/4	L	open back
-------	--------	---	-----------

4676



SETTINGS - 4 CLAWS

14 mm	K 13/30
-------	---------

SEW-ON

B+L	AK 13/30 / L	4 holes - 2 holes each side
-----	--------------	-----------------------------

4700



SETTINGS - 4 CLAWS

6 x 3,5mm	K 14/1
-----------	--------

SEW-ON

B+L

4710




SETTINGS - 4 CLAWS

8,2x5,5 mm	K 15/2
12x8 mm	K 15/8

SEW-ON

B+L	AK 15/2 / L	2 holes - 1 hole each side
B+L	AK 15/8 / L	4 holes - 2 holes each side

4712




SETTINGS - 4 CLAWS

10x5 mm / left	K 17/5
10x5 mm / right	K 17/6
14x7 mm / left	K 17/7
14x7 mm / right	K 17/8

SEW-ON

B+L	AK 17/5 / L	4 holes - 2 holes each side
B+L	AK 17/6 / L	4 holes - 2 holes each side
B+L	AK 17/7 / L	4 holes - 2 holes each side
B+L	AK 17/8 / L	4 holes - 2 holes each side

4714




SETTINGS - 4 CLAWS

14x7 mm	K 23/17
10x5 mm	K 23/20

SEW-ON

B+L	AK 23/17 / L	4 holes - 2 holes each side
B+L	AK 23/20 / L	4 holes - 2 holes each side

4716



SETTINGS - 4 CLAWS

10x8,5 mm	K 22/7
-----------	--------

SEW-ON

B+L	AK 22/7 L	4 holes - 2 holes each side
-----	-----------	-----------------------------

4717



STAMPINGS - FRAMES FOR GLUING

15,5mm	P 08043	without ring
15,5mm	P 08044	with 1 ring
15,5mm	P 08045	with 2 rings

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

SETTINGS

SEW-ON

ARTICLE NO.

SIZE

K /

AK /

4717

STAMPINGS - FRAMES FOR GLUING

21,5mm	P 08046	without ring
21,5mm	P 08047	with 1 ring
21,5mm	P 08048	with 2 rings

4722

SETTINGS - 4 CLAWS

SEW-ON



4 mm	K 23/9	B+L	AK 23/9	L	2 holes - 1 hole each side
6 mm	K 23/8	B+L	AK 23/8	L	2 holes - 1 hole each side
8 mm	K 23/3	B+L	AK 23/3	L	4 holes - 2 holes each side
10 mm	K 23/4	B+L	AK 23/4	L	4 holes - 2 holes each side

4722

STAMPINGS FOR GLUING




4 mm	P 07224	without ring
6 mm	P 07225	without ring
8 mm	P 07226	without ring

4723

SETTINGS - 4 CLAWS

SEW-ON




17 mm	K 23/13	B+L	AK 23/13 / L	4 holes - 2 holes each side
-------	---------	-----	--------------	-----------------------------

4727

SETTINGS - 4 CLAWS

SEW-ON




23 mm	K 23/10	B+L	AK 23/10 / L	4 holes - 2 holes each side
-------	---------	-----	--------------	-----------------------------

4728

SETTINGS - 4 CLAWS

SEW-ON




8x6 mm	K 22/3	B+L	AK 22/3 / L	4 holes - 2 holes each side
10x7,5 mm	K 22/4	B+L	AK 22/4 / L	4 holes - 2 holes each side
14x10,5 mm	K 22/5	B+L	AK 22/5 / L	4 holes - 2 holes each side
16x12 mm	K 22/6	B+L	AK 22/6 / L	4 holes - 2 holes each side

4729

SETTINGS - 4 CLAWS

SEW-ON




8 mm	K 23/15	B+L	AK 23/15	L	4 holes - 2 holes each side
------	---------	-----	----------	---	-----------------------------

4730

SETTINGS - 6 CLAWS

SEW-ON



6 mm	K 25/4	B+L			
8 mm	K 25/5	B+L	AK 25/5 / L		4 holes - 2 holes each side
10 mm	K 25/6	B+L	AK 25/6 / L		4 holes - 2 holes each side
12 mm	K 25/7	B+L	AK 25/7 / L		4 holes - 2 holes each side

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
4739	SETTINGS - 4 CLAWS		SEW-ON
	14x11 mm	K 23/25	B+L AK 23/25 / L
	20x16 mm	K 23/26	B+L AK 23/26 / L
			4 holes - 2 holes each side
			4 holes - 2 holes each side
4739	CUP-CHAINS - 4 CLAWS		minimum
	14x11mm	KS 1008/78 /3	10 m Standard
			approx. 78 settings p. m.
4742/4743	SETTINGS - 4 CLAWS		SEW-ON
	12,2x9 mm / left	K 17/1a	B+L AK 17/1a / L
	12,2x9 mm / right	K 17/1b	B+L AK 17/1b / L
	15,2x11 mm / left	K 17/2a	B+L AK 17/2a / L
	15,2x11 mm / right	K 17/2b	B+L AK 17/2b / L
	18,6x13,5mm / left	K 17/3a	B+L AK 17/3a / L
	18,6x13,5mm /right	K 17/3b	B+L AK 17/3b / L
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
			4 holes - 2 holes each side
4744	SETTINGS - 4 CLAWS		SEW-ON
	6 mm	K 24/8	B+L AK 24/8 / L
	10 mm	K 24/9	B+L AK 24/9 / L
			4 holes - 1 hole each side
			4 holes - 1 hole each side
	STAMPINGS - FRAMES FOR GLUING		
	10 mm	P 07990	without ring
	10 mm	P 07991	with 1 ring
4744	CUP-CHAINS - 4 CLAWS		minimum
	10 mm	KS 1007/83 /1	10 m Standard
	10 mm	KS 1007/77 /3	10 m Standard
			approx. 77 settings p. m.
			approx. 83 settings p. m.
4745	SETTINGS - 4 CLAWS		SEW-ON
	10 mm	K 24/1	B+L AK 24/1 / L
	or		
	SS 33/34 round for Swaro 1012/1028		4 holes - 1 hole each side
4745	CUP-CHAINS - 4 CLAWS		minimum
	10 mm	KS 876/84 /3	10 m Standard
			approx. 84 settings p. m.
	Attention: wire out of the middle, for necklace only		
4748	SETTINGS - 4 CLAWS		SEW-ON
	10mm	K 24/10	B+L AK 24/10 / L
			4 holes - 1 hole each side

K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

SETTINGS

SEW-ON

ARTICLE NO.

SIZE

K /

AK /

4748


STAMPINGS - FRAMES FOR GLUING

10mm P 08073 without ring
 10mm P 08074 with 1 ring

4756 FLAT

SETTINGS - 4 CLAWS

SEW-ON



19x11,5 mm K 23/28 B+L AK 23/28 / L 8 holes - 4 holes each side
 27x16mm K 23/32 B AK 23/32 / B 8 holes - 4 holes each side
 39x23,5mm K 23/33 B AK 23/33 / B 4 holes - 2 holes each side



4756

STAMPINGS - FRAMES FOR GLUING



19x11,5mm P 07911 without ring
 19x11,5mm P 07912 with 1 ring
 19x11,5mm P 07913 with 2 rings

4756

STAMPINGS - FRAMES FOR GLUING




27x16 mm P 07878 without ring
 27x16 mm P 07879 with 1 ring
 27x16 mm P 07880 with 2 rings

4757

SETTINGS - 4 CLAWS

SEW-ON



14x8,5 mm K 23/27 B+L AK 23/27 / L 4 holes - 2 holes each side
 19x11,5 mm K 23/28 B+L AK 23/28 / L 4 holes - 2 holes each side



4757

STAMPINGS - FRAMES FOR GLUING



19x11,5 mm P 07874 without ring
 19x11,5 mm P 07875 with 1 ring
 19x11,5mm P 07876 with 2 rings

4759

SETTINGS - 4 CLAWS

SEW-ON



28x24 mm K 23/34 B AK 23/34 / B 8 holes - 4 holes each side

4759

STAMPINGS - FRAMES FOR GLUING










28x24 mm P 07992 without ring
 28x24 mm P 07993 with 1 ring
 28x24 mm P 07994 with 2 rings

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
<u>4760</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	14x8mm	K 23/39	B+L AK 23/39 / L 4 holes - 2 holes each side
	18x10,5mm	K 23/40	B+L AK 23/40 / L 4 holes - 2 holes each side
<u>4787</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	19x13 mm	K 23/35	B AK 23/35 /B 8 holes
<u>4790</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	18x7,5mm	K 23/37	B+L AK 23/37 / L 4 holes - 2 holes each side
	23x10mm	K 23/38	B+L AK 23/38 / L 4 holes - 2 holes each side
	32x13,5 mm	K 23/36	B+L AK 23/36 / L 4 holes - 2 holes each side
<u>4790</u>	<u>STAMPINGS - FRAMES FOR GLUING</u>		
	18x7,5mm	P 08028	without ring
	18x7,5mm	P 08029	with 1 ring
	18x7,5mm	P 08030	with 2 rings
<u>4790</u>	<u>STAMPINGS - FRAMES FOR GLUING</u>		
	23x10mm	P 08025	without ring
	23x10mm	P 08026	with 1 ring
	23x10mm	P 08027	with 2 rings
	32x13,5 mm	P 08019	without ring
	32x13,5 mm	P 08020	with 1 ring
	32x13,5 mm	P 08021	with 2 rings
<u>4795</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	19x14,4mm	** K 7/10 - 20x15mm	B+L AK 7/10 / L 4 holes - 2 holes each side
	28x21mm	** K 7/12 - 30x22mm	B+L AK 7/12 / L 4 holes - 2 holes each side
		** please ask for samples before ordering !!	
<u>4800</u>	<u>SETTINGS - 4 CLAWS</u>		<u>SEW-ON</u>
	5,5x5 mm	K 16/13	B+L AK 16/13 / L 2 holes - 1 hole each side
	6,6x6 mm	K 16/14	B+L AK 16/14 / L 4 holes - 2 holes each side
	8,8x8 mm	K 16/1	B+L AK 16/1 / L 4 holes - 2 holes each side
	10x9 mm	K 16/2	B+L AK 16/2 / L 4 holes - 2 holes each side
	11x10 mm	K 16/16	B+L AK 16/16 / L 4 holes - 2 holes each side
	15,4x14 mm	K 16/17	B+L AK 16/17 / L 4 holes - 2 holes each side
	18,5x17 mm	K 16/18	B+L AK 16/18 / L 4 holes - 2 holes each side

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING K / B closed back K / L open back
SETTINGS for SEW-ON AK / L open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

ARTICLE NO.

SIZE

K /

SETTINGS

AK /

4800



SETTINGS - 4 CLAWS

10x9 mm

K 70/15

B+L

SEW-ON

AK /

with ring

4800

STAMPINGS - FRAMES FOR GLUING

8,8x8 mm

P 07746

without ring

8,8x8 mm

P 07747

with 1 ring

8,8x8 mm

P 07748

with 2 rings



11x10 mm

P 07743

without ring

11x10 mm

P 07744

with 1 ring

11x10 mm

P 07745

with 2 rings

4800

STAMPINGS - FRAMES FOR GLUING

15,4x14mm

P 07890

without ring

15,4x14mm

P 07891

with 1 ring

15,4x14mm

P 07892

with 2 rings

4800

STAMPINGS FOR GLUING

8,8x8 mm

P 07389

without ring

8,8x8 mm

P 07390

with 1 ring



11x10 mm

P 07391

without ring

11x10 mm

P 07392

with 1 ring

4803/4805

SETTINGS - 4 CLAWS

9x6 mm / right

K 18/1

B+L AK 18/1 / L

4 holes - 2 holes each side

9x6 mm / left

K 18/2

B+L AK 18/2 / L

4 holes - 2 holes each side

12x8 mm / right

K 18/3

B+L AK 18/3 / L

4 holes - 2 holes each side

12x8 mm / left

K 18/4

B+L AK 18/4 / L

4 holes - 2 holes each side

15x10 mm / right

K 18/5

B+L AK 18/5 / L


4 holes - 2 holes each side

15x10 mm / left

K 18/6

B+L AK 18/6 / L

4 holes - 2 holes each side



4817

SETTINGS - 4 CLAWS

15,4x14 mm

K 16/17

B+L AK 16/17 / L

4 holes - 2 holes each side



4818

STAMPINGS FOR GLUING

10,3x10 mm

P 07439

without ring

10,3x10 mm

P 07440

with ring



4819

SETTINGS - 4 CLAWS

15x11 mm

K 23/24

B+L

SEW-ON



K / B+L and AK / L minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal
SWAROVSKI SETTINGS SEW-ON
ARTICLE NO. SIZE K / AK /

4822

SETTINGS - 4 CLAWS

14x11 mm K 16/19

SEW-ON

B+L AK 16/19 / L 4 holes - 2 holes each side




4827

SETTINGS - 4 CLAWS

28 mm K 16/12

SEW-ON

B+L AK 16/12 / L 4 holes - 2 holes each side




4831

SETTINGS - 4 CLAWS

5,5x5 mm K 16/13
 6,6x6 mm K 16/14
 8,8x8 mm K 16/1
 11x10 mm K 16/16

SEW-ON

B+L AK 16/13 / L 2 holes - 1 hole each side
 B+L AK 16/14 / L 4 holes - 2 holes each side
 B+L AK 16/1 / L 4 holes - 2 holes each side
 B+L AK 16/16 / L 4 holes - 2 holes each side



4840

SETTINGS

4 mm
 6 mm
 8 mm
 10 mm
 12 mm
 14 mm

MILLGRAIN

K 85/1 B
 K 85/2 B
 K 85/3 B
 K 85/4 B
 K 85/5 B
 K 85/6 B



4841

SETTINGS

4 mm
 6 mm
 8 mm
 10 mm

MILLGRAIN

K 86/19 B
 K 86/7 B
 K 86/8 B
 K 86/9 B



SETTINGS

6 mm
 8 mm

MILLGRAIN


K 86/7 B
 K 86/8 B

4842 / 4mm

4842 / 6mm



please ask for samples before ordering

please ask for samples before ordering







K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..


AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.
 - exceeding 20mm diam. 1.500 pcs.

SETTINGS	FOR SOLDERING	K / B closed back	K / L open back
SETTINGS	for SEW-ON	AK / L open back	
CUP-CHAINS	/ 1 for Bracelet	/ 3 for Necklace	/ 2 horizontal
SWAROVSKI		SETTINGS	SEW-ON
ARTICLE NO.	SIZE	K /	AK /
4854	SETTINGS - 4 CLAWS		SEW-ON
	8 mm	K 12/3	B+L AK 12/3 / L 4 holes - 2 holes each side
	10 mm	K 12/4	B+L AK 12/4 / L 4 holes - 2 holes each side

4854	SETTINGS	MILLGRAIN	PLAIN
	6 mm	K 85/2	B
	8 mm	K 85/3	B
	10 mm	K 85/4	B

4866	STONE SIZE	SETTING SIZE	MILLGRAIN
	6 mm	5 mm	B K 80/3
	8 mm	6 mm	B K 80/4
	14 mm	12 mm	B K 80/10

4869	STONE SIZE	SETTING SIZE	MILLGRAIN
	4 mm	3 mm	B K 80/1
	6 mm	5 mm	B K 80/3
	8 mm	6 mm	B K 80/4
	10 mm	8 mm	B K 80/6
	12 mm	10 mm	B K 80/8
	14 mm	12 mm	B K 80/10

4884	SETTINGS - 4 CLAWS	SEW-ON
	5,5x5 mm	B+L AK 16/13 / L 2 holes - 1 hole each side
	6,6x6 mm	B+L AK 16/14 / L 4 holes - 2 holes each side
	8,8x8 mm	B+L AK 16/1 / L 4 holes - 2 holes each side
	11x10 mm	B+L AK 16/16 / L 4 holes - 2 holes each side
	15,4x14 mm	B+L AK 16/17 / L 4 holes - 2 holes each side

4889	LETTERS FOR GLUING	
	Stamping A - Z	
	8 mm	P 07200 without ring
	8 mm	P 07201 with 1 ring
		

4916	SETTINGS - 4 CLAWS	SEW-ON
	14 mm	B+L AK 16/30 / L 4 holes - 2 holes each side

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / **B** requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.

List of **SWAROVSKI**-Number and corresponding **JOSEF BERGS** references

01.01.2013

SETTINGS FOR SOLDERING **K / B** closed back **K / L** open back
SETTINGS for SEW-ON **AK / L** open back
CUP-CHAINS / 1 for Bracelet / 3 for Necklace / 2 horizontal

SWAROVSKI

SETTINGS

SEW-ON

ARTICLE NO.

SIZE

K /

AK /

5817

SETTINGS

MILLGRAIN

PLAIN

please
try
samples
before
ordering



6 mm
8 mm
10 mm
12 mm
14mm
16 mm

K 80/71 B
K 80/24 B
K 80/25 B
K 80/26 B
K 80/34 B
K 80/35 B

K 80/40

K / B+L and **AK / L** minimum 1.000 pcs. till diam. 20mm - exceeding 20 mm diam. 500 pcs..

AK / SEW-ON SETTINGS closed back / B requires minimum quantity till 20mm diam. 5.000 pcs.

- exceeding 20mm diam. 1.500 pcs.